

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

AMBIT LAMP LARGE

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 60W; incandescent lamp; type G
Max. 13W; self-ballasted
Max. 18W; self-ballasted LED bulb

SPECIFICATION - BULB

No bulb included

COLOR



Black



Grey



White



Dusty
Green



Rose


INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989
EN 62493:2010

WEEE

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

No info

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

No info

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

AMBIT LAMP SMALL

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E14
Max. 60W; incandescent lamp; Type G
Max. 13W; self-ballasted; Type G
Max. 11W; self-ballasted LED bulb; Type G

SPECIFICATION - BULB

No bulb included

COLOR



Black



Grey



White



Dusty
Green



Rose


INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2015
EN 60598-2-1:1989
EN 62493:2010

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

No info

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

No info

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

CONTROL LAMP

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 25W; Halogen
Max. 40W; Incandescent
Max. 6W; LED bulb
Only dimmable bulb can be used

COLOR



Black



White



Grey



Red


INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



IP20



SPECIFICATION - BULB

Item G125 halogen bulb
Watt 18 W
Lumen 210
Kelvin 2700K
Lifetime 1800-2000h
CRI ≥80
Dimmable Yes

Item G125 LED filament bulb
Watt 2 W
Lumen >80lm/W
Kelvin 2500K
Lifetime 25.000h
CRI ≥90
Dimmable Yes



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2015
EN 60598-2-4:1997
EN 62493:2010

USA/CANADA

UL
UL 153
CSA C22.2 No. 250.4-14

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

No info

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

COSY IN GREY LAMP

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 60W

SPECIFICATION - BULB

No bulb included,
but only dimmable
bulb can be used


INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2004
EN 60598-2-4:1997

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335

Japan

PSE

IEC 60598-1:2008+Japan deviation
IEC 60598-2-4:1979

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

COSY IN WHITE LAMP LARGE

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 60W

SPECIFICATION - BULB

No bulb included,
but only dimmable
bulb can be used


INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2004
EN 60598-2-4:1997

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

COSY IN WHITE LAMP SMALL

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E14
Max. 40W

SPECIFICATION - BULB

No bulb included,
but only dimmable
bulb can be used


INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2004
EN 60598-2-4:1997

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335

Japan

PSE
IEC 60598-1:2008+Japan deviation
IEC 60598-2-4:1979

LIGHT OVERVIEW EU


LIGHTING INFO SHEET

E27 LAMP SERIES

RATING

Voltage 220-240V
Frequency 50Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 40W; Double envelope halogen lamp
Max. 6W; LED bulb


COLOR



INFO

Cord Length xx cm
Canopy included NO


SYMBOLS



SPECIFICATION - BULB

Item G125 halogen bulb
Watt 18 W
Lumen 210
Kelvin 2700K
Lifetime 1800-2000h
CRI ≥80
Dimmable Yes

Item G125 LED filament bulb
Watt 2 W
Lumen >80lm/W
Kelvin 2500K
Lifetime 25.000h
CRI ≥90
Dimmable Yes



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2015
EN 60598-2-1:1989
EN 62493:2015

WEEE

France

COFRAC
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989

Germany

VDE

Certificate for Socket
DIN EN 60238 (VDE 0616 Teil 1):2009-04
EN 60238:2004+A1:2008-09

Certificate for Cord
DIN EN 0281-5 (VDE 0281 Teil 5):2002-09
HD 21.5 S3:1994+A1:1999+A2:2001

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

RCM
AS/NZS 60238:2007

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

Glow wire test
IEC 60695-2-10:2000

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335

Japan

PSE
IEC 60598-1:2008+Japan deviation
IEC 60598-2-1:1979+A1:1987
Certificate for Cord
Certificate for Socket

MUUTO
New Arrivals

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

FLUID LAMP LARGE

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 60W
Max. 13W PL Lamp (self-ballasted)
Max. 18W LED bulb

SPECIFICATION - BULB

No bulb included


INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989

WEEE

Germany

VDE

Certificate for Socket
DIN EN 60238 (VDE 0616 Teil
1):2009-04
EN 60238:2004+A1:2008-09

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

RCM
AS/NZS 60238:2007

CHINA

No info

EXTRA

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

FLUID LAMP SMALL

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x G9
Max. 40W; Halogen
Max. 5W; LED bulb

SPECIFICATION - BULB

Item G9 LED bulb
Watt 3W
Lumen 230lm
Kelvin 2700K
Lifetime 25.000h
CRI >80
Dimmable No



INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989
EN 62493:2010

WEEE

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

No info

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

Taiwan
BSMI
CNS14115
IEC60598/2/4
CNS14335

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

GRAIN LAMP

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x G9
Max. 5W LED bulb

SPECIFICATION - BULB

Item G9 LED bulb
Watt 4W
Lumen 400lm
Kelvin 2700K
Lifetime 10.000h
CRI 80
Dimmable No

COLOR



Black



Grey



Dusty
Red



Nature



White



Dusty
Green


INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989
EN 62493:2010

WEEE

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

No info

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

LED Bulb 4W EMC
LED Bulb 4W LVD
LED Bulb 4W ROHS

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

LEAF TABLE LAMP

RATING

Voltage 220-240V
Frequency 50Hz
IP Rating IP20
Classification Class II
Socket 54 x non-replaceable LEDs (8W)

COLOR



Black

White

Grey

Green


INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



IP20



SPECIFICATION - BULB

Item 54 x non-replaceable LEDs
Watt 8W
Lumen 370
Kelvin 2700K
Lifetime 30.000h
CRI >80
Dimmable Yes



STANDARD & CERTIFICATE

EU/UK

CE-LVD

EN 60598-1:2014
EN 60598-2-4:1997
EN 62471:2008
EN 62493:2015

Transformer CE/LVD

EN 61347-1:2015+A1:2013+A2:2015
EN 61347-2-13:2006

WEEE

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

Taiwan

BSMI

CNS14115
IEC60598/2/4
CNS14335

Japan

PSE

IEC 62471:2006

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

LEAF TABLE LAMP

RATING

Voltage 220-240V
Frequency 50Hz
IP Rating IP20
Classification Class II
Socket 54 x non-replaceable LEDs (8W)

SPECIFICATION - BULB

Item 54 x non-replaceable LEDs
Watt 8W
Lumen 370
Kelvin 2700K
Lifetime 30.000h
CRI >80
Dimmable Yes

COLOR



Black

White

Grey

Green


INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD

EN 60598-1:2014
EN 60598-2-4:1997
EN 62471:2008
EN 62493:2015

Transformer CE/LVD

EN 61347-1:2015+A1:2013+A2:2015
EN 61347-2-13:2006

WEEE

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

Taiwan

BSMI

CNS14115
IEC60598/2/4
CNS14335

Japan

PSE

IEC 62471:2006

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

LEAN LAMP

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket Non-replaceable LED


COLOR



INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



SPECIFICATION - BULB

Item Non-replaceable LED
Watt 8W
Lumen 350
Kelvin 2800K
Lifetime 50.000h
CRI ≥80
Dimmable Yes



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2015
EN 60598-2-1:1989
EN 62031:2008+A1:2013+A2:2015
EN 61347-2-13:2014
EN 61347-1:2008+A1:2011+A2:2013
EN 62493:2010
EN 62 471:2008

CE-EMC

EN 55015:2013
EN 61000-3-2:2014
EN 61000-3-3:2013
EN 61547:2009

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

No info

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

MHY LAMP

RATING

Voltage 220-240V
Frequency 50Hz
IP Rating IP20
Classification Class II
Socket 1 x E14
Max. 40W
Max. 8W PL Lamp (self-ballasted)

SPECIFICATION - BULB

No bulb included

COLOR



Black



Yellow



White



Rose



Light Green



Grey


INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989
EN 62493:2010

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

RCM
AS/NZS 60238:2007

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335

Japan

PSE

IEC 60598-1:2008+Japan deviation
IEC 60598-2-1:1979+A1:1987

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

PULL LAMP

RATING

Voltage 220-240V
Frequency 50Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 100W

INFO

Cord Length xx cm
Canopy included NO


SPECIFICATION - BULB

No bulb included

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989
EN 62493:2010

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

RCM
AS/NZS 60238:2007

CHINA

No info

EXTRA

No info

Germany

VDE

Certificate for Plug
DIN VDE 0620 Teil 101:1992-05
EN 50075:1990
Certificate for Cord
DIN EN 0281-5 (VDE 0281 Teil
5):2002-09
HD 21.5 S3:1994+A1:1999+A2:2001

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

STUDIO LAMP

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class I
Socket 1 x E27
Max. 40W PL Lamp (self-ballasted)
Max. 18W LED bulb

SPECIFICATION - BULB

No bulb included

COLOR



Black



Grey



White



Dusty Red


INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989
EN 62493:2010

France

COFRAC
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989

Germany

VDE
Certificate for Socket
DIN EN 60238 (VDE 0616 Teil 1):2009-04
EN 60238:2004+A1:2008-09

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

RCM
AS/NZS 60238:2007

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

Taiwan
BSMI
CNS14115
IEC60598/2/4
CNS14335

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

UNDER THE BELL LAMP


RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 30W CFL lamp
Max. 18W LED bulb

SPECIFICATION - BULB

No bulb included

COLOR



Grey

Black


INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2015
EN 60598-2-1:1989
EN 62493:2015

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

RCM
AS/NZS 60238:2007

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

Taiwan
BSMI
CNS14115
IEC60598/2/4
CNS14335

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

UNFOLD LAMP

RATING

Voltage 220-240V
Frequency 50Hz
IP Rating IP20
Classification Class II
Socket 1 x E27
Max. 60W Type G bulb
Max. 20W PL Lamp (self-ballasted)
Max. 18W LED bulb

SPECIFICATION - BULB

No bulb included


COLOR



INFO

Cord Length xx cm
Canopy included YES

SYMBOLS



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989
EN 62493:2010

WEEE

France

COFRAC
EN 60598-1:2008+A11:2009
EN 60598-2-1:1989

USA/CANADA

UL
UL 1598
CAN/CSA C22.2 No. 250.0-08

AUSTRALIEN/NEW ZEALAND

RCM
AS/NZS 60238:2007

CHINA

CCC
GB7000. 201-2008
GB7000. 1-2007

EXTRA

Glow wire test
IEC 60695-2-10:2000

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335

MUUTO
New Arrivals

LIGHT OVERVIEW EU

LIGHTING INFO SHEET

LAMP NAME

RATING

Voltage 220-240V
Frequency 50/60Hz
IP Rating IP20
Classification Class II
Socket 1 x E14
Max. 7W LED bulb; Type G

SPECIFICATION - BULB

No bulb included

COLOR



Pine with
white cord


INFO

Cord Length xx cm
Canopy included NO

SYMBOLS



IP20



STANDARD & CERTIFICATE

EU/UK

CE-LVD
EN 60598-1:2008+A11:2009
EN 60598-2-4:1997
EN 62493:2010

USA/CANADA

No info

AUSTRALIEN/NEW ZEALAND

No info

CHINA

No info

EXTRA

Glue certificate

Taiwan

BSMI
CNS14115
IEC60598/2/4
CNS14335